SAFETY DATA SHEET

1. Identification

Product identifier CALSOFT® LAS-99

Other means of identification

Product Code 400000

Recommended use Industrial Intermediate

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Pilot Chemical Company Company name **Address** 2744 East Kemper Road

Sharonville, OH 45241

United States

1-800-707-4568

Telephone

(513) 326-0600

E-mail sdsinfo@pilotchemical.com

CHEMTREC International: **Emergency phone number**

CHEMTREC USA: 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Category 4 Health hazards Acute toxicity, oral

> Skin corrosion/irritation Category 1C Serious eve damage/eve irritation Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. **Hazard statement**

Precautionary statement

Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when Prevention

using this product. Wear protective gloves/protective clothing/eye protection/face protection.

(8 AM to 5 PM Eastern)

1-703-527-3887

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Store locked up. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Hazard(s) not otherwise

classified (HNOC)

Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Supplemental information None.

Material name: CALSOFT® LAS-99 SDS US 1 / 10

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Benzenesulfonic Acid, C10-16-alkyl Derivs.		68584-22-5	90 - 100
Other components below reportable level	S		< 1
Byproducts			
Chemical name		CAS number	%
Sulfuric Acid		7664-93-9	0 - < 1.5
Impurities			
Chemical name		CAS number	%
Benzene, C10-16-alkyl Derivs.		68648-87-3	0 - < 1.5
Sulphur Dioxide		7446-09-5	0< 0.1

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

Occupational Exposure Limits for impurities are listed in Section 8. Additional compounds which may be formed during processing are listed in Section 8.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CALSOFT® LAS-99 SDS US 2/10

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Byproducts	Туре	Value	
Sulfuric Acid CAS 7664-93-9)	PEL	1 mg/m3	
mpurities	Туре	Value	
Sulphur Dioxide CAS 7446-09-5)	PEL	13 mg/m3	
		5 ppm	
US. ACGIH Threshold Limit Va	alues		
Byproducts	Type	Value	Form
Sulfuric Acid (CAS 7664-93-9)	TWA	0.2 mg/m3	Thoracic fraction.
Impurities	Туре	Value	
Sulphur Dioxide (CAS 7446-09-5)	STEL	0.25 ppm	
US. NIOSH: Pocket Guide to C	Chemical Hazards		
Byproducts	Туре	Value	
Sulfuric Acid (CAS 7664-93-9)	TWA	1 mg/m3	
Impurities	Туре	Value	
Sulphur Dioxide (CAS 7446-09-5)	STEL	13 mg/m3	
•		5 ppm	
	TWA	5 mg/m3 2 ppm	

Biological limit values Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles) and a face shield. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Material name: CALSOFT® LAS-99 SDS US 3 / 10 Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Viscous. **Appearance** Liquid. Physical state Liquid. **Form** Color Brown. Odor Sulphurous. Not available. **Odor threshold**

< 2 pН

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Cleveland Open Cup, None to decomposition Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Relative density Not available.

Solubility(ies)

Soluble; may gel Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available.

Viscosity 1260 cP @ 25 deg C estimated

Other information

Density 8.81 lb/gal Molecular weight 320 1.06 Specific gravity

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

products

Hazardous decomposition No hazardous decomposition products are known.

Material name: CALSOFT® LAS-99 400000 Version #: 03 Revision date: 04-01-2015 Issue date: 08-27-2014

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

Test Results

blindness could result.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components	Species	Test Results	
Benzenesulfonic Acid, C10-16-alky	/l Derivs. (CAS 68584-22-5)		
<u>Acute</u>			
Dermal			
LC50	Rabbit	> 2000 mg/kg	
Oral			
LD50	Rat	1470 mg/kg	
Byproducts	Species	Test Results	
Sulfuric Acid (CAS 7664-93-9)			
<u>Acute</u>			
Inhalation			
LC50	Rat	375 mg/m3, 4 h	
Oral			
LD50	Rat	2140 mg/kg	

Sulphur Dioxide (CAS 7446-09-5)

Acute Inhalation

LC50 Hamster 50 ppm, 4 h

Benzene, C10-16-alkyl Derivs. (CAS 68648-87-3)

Acute Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

Species

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

Impurities

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity IARC has concluded that "occupational exposure to strong inorganic mists containing sulfuric acid

is carcinogenic for humans (Group 1)".

IARC Monographs. Overall Evaluation of Carcinogenicity

Sulfuric Acid (CAS 7664-93-9) 1 Carcinogenic to humans.

Sulphur Dioxide (CAS 7446-09-5)

3 Not classifiable as to carcinogenicity to humans.

Material name: CALSOFT® LAS-99
400000 Version #: 03 Revision date: 04-01-2015 Issue date: 08-27-2014

SDS US

5/10

^{*} Estimates for product may be based on additional component data not shown.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Sulfuric Acid (CAS 7664-93-9) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

Not classified.

repeated exposure **Aspiration hazard**

Not an aspiration hazard.

12. Ecological information

Ecotoxicity Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Components		Species	Test Results
Benzenesulfonic Acid,	, C10-16-alkyl Deriv	vs. (CAS 68584-22-5)	
Aquatic			
Acute			
Algae	EC50	Algae	0.91 mg/l, 96 h
Crustacea	EC50	Daphnia	7.6 mg/l, 48 h
Fish	LC50	Bluegill (Lepomis macrochirus)	1.67 mg/l, 96 h
Chronic			
Algae	NOEC	Algae	3.1 mg/l, 15 d
Crustacea	NOEC	Daphnia	< 3.4 mg/l, 28 d
Fish	NOEC	Fish	0.25 mg/l, 90 d
Byproducts		Species	Test Results
Sulfuric Acid (CAS 76	64-93-9)		
Aquatic			
Acute			
Algae	EC50	Algae	> 100 mg/l, 72 h
Crustacea	EC50	Daphnia	> 100 mg/l, 48 h
Fish	LC50	Bluegill (Lepomis macrochirus)	16 - 28 mg/l, 96 h
Chronic			
Crustacea	NOEC	Daphnia	0.15 mg/l, 35 d
Fish	NOEC	Fish	0.025 mg/l, 65 d
Impurities		Species	Test Results
Benzene, C10-16-alky	I Derivs. (CAS 686	48-87-3)	
Aquatic			
Acute			
Algae	EC50	Algae	> 0.1 mg/l, 72 h
Crustacea	EC50	Daphnia	0.009 mg/l, 48 h
Fish	LC50	Fathead minnow (Pimephales promelas) > 0.041 mg/l, 96 h	
Chronic			
Fish	NOEC	Fish	> 0.0578 mg/l

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

This product is expected to be readily biodegradable.

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

400000 Version #: 03 Revision date: 04-01-2015 Issue date: 08-27-2014

Material name: CALSOFT® LAS-99

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN2586

UN proper shipping name Aryl sulfonic acids, liquid

Transport hazard class(es)

Class 8 Subsidiary risk 8 Label(s) Packing group Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, T4, TP1

154 Packaging exceptions Packaging non bulk 203 Packaging bulk 241

DOT NON-BULK

NON-BULK

IIN number UN2586

UN proper shipping name Aryl sulfonic acids, liquid

Transport hazard class(es) 8 Class Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN2586

Arylsulphonic acids, liquid **UN proper shipping name**

Transport hazard class(es) 8 Class Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Allowed. Passenger and cargo

aircraft

Packing group

Cargo aircraft only Allowed.

IMDG

UN number UN2586

UN proper shipping name ARYLSULPHONIC ACIDS, LIQUID

Ш

Transport hazard class(es) 8 Class Subsidiary risk

Environmental hazards

Marine pollutant No.

Material name: CALSOFT® LAS-99 400000 Version #: 03 Revision date: 04-01-2015 Issue date: 08-27-2014 SDS US

F-A, S-B **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Not established.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

DOT; DOT Non-Bulk packaging type



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sulfuric Acid (CAS 7664-93-9) Listed.

SARA 304 Emergency release notification

Sulfuric Acid (CAS 7664-93-9) 1000 LBS Sulphur Dioxide (CAS 7446-09-5) 500 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Sulfuric Acid	7664-93-9	1000	1000 lbs		
Sulphur Dioxide	7446-09-5	500	500 lbs		

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Sulfuric Acid	7664-93-9	0 - < 1.5	

Material name: CALSOFT® LAS-99 SDS US

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Sulfuric Acid (CAS 7664-93-9) Sulphur Dioxide (CAS 7446-09-5)

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Sulfuric Acid (CAS 7664-93-9) 6552

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

20 %WV Sulfuric Acid (CAS 7664-93-9)

DEA Exempt Chemical Mixtures Code Number

Sulfuric Acid (CAS 7664-93-9) 6552

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Sulfuric Acid (CAS 7664-93-9) Sulphur Dioxide (CAS 7446-09-5)

US. Massachusetts RTK - Substance List

Sulfuric Acid (CAS 7664-93-9) Sulphur Dioxide (CAS 7446-09-5)

US. New Jersey Worker and Community Right-to-Know Act

Sulfuric Acid (CAS 7664-93-9) Sulphur Dioxide (CAS 7446-09-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Sulfuric Acid (CAS 7664-93-9) Sulphur Dioxide (CAS 7446-09-5)

US. Rhode Island RTK

Sulfuric Acid (CAS 7664-93-9) Sulphur Dioxide (CAS 7446-09-5)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 08-27-2014 **Revision date** 04-01-2015

Version # 03

Material name: CALSOFT® LAS-99 SDS US

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

NFPA ratings Health: 3

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision Information Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties
Transport Information: Material Transportation Information

Regulatory Information: United States

Material Attributes & Uses; Experimental Data: Experimental Data

REACH: Registration Substance

Material name: CALSOFT® LAS-99